

**2003 Chevrolet Express Cargo Van
CG33405 3500 135" WB RWD**

No Picture Available for this vehicle

VEHICLE SUMMARY

Effective Date: 7/15/02

**SELECTED OPTIONS
CODE DESCRIPTION**

*** ** ALL SEO ORDERING INFORMATION IS 2003 **

ZW9 BODY, STANDARD

C6Y GVWR, 9600 LBS. (4354 KG) (STD)

VCL EMISSIONS, FEDERAL CLEAN AIR 2*For use by central fueled fleets in federally mandated non-attainment areas*

LQ4 Engine, Vortec 6000 V8 SFI (300 HP [223.8 kW] @ 4400 rpm, 360 lb.-ft. [486.6 N-m] @ 4000 rpm) -inc: external oil cooler (STD)

MT1 TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED W/OVERDRIVE, TOW/HAUL MODE -inc: external transmission oil cooler (STD)

___ NO LOCKING DIFFERENTIAL

GT4 REAR AXLE, 3.73 RATIO

___ DOOR, SWING-OUT PASSENGER SIDE, 60/40 SPLIT (STD)

___ STD DECOR -inc: base vehicle only

1SA MARKETING OPTION PKG 1 -inc: base vehicle

XHH TIRES, FRONT LT245/75R16E, ALL-SEASON, BLACKWALL (STD)

YHH TIRES, REAR LT245/75R16E, ALL-SEASON, BLACKWALL (STD)

ZHH TIRES, SPARE LT245/75R16E, ALL-SEASON, BLACKWALL (STD)

___ SEATS, FRONT VINYL RECLINING BUCKETS (REQ: ___W Vinyl Trim) -inc: head restraints (STD)

___W CUSTOM VINYL SEAT TRIM (STD)

ZY1 SOLID PAINT (STD)

C60 AIR CONDITIONING, FRONT MANUAL (STD)

UM7 SOUND SYSTEM, ETR AM/FM STEREO -inc: seek-and-scan & digital clock (STD)

___ WHEELS, GRAY PAINTED -inc: gray center caps & steel spare (STD)

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096
SECTION 6 (PRICE LINE 6) CONTRACT PRICE: \$23,399.00
CONTRACT: A53313 CONTRACTOR: SANSONE CHEVROLET MOTORS

CODE DESCRIPTION

_____	STANDARD WINDOW ARRANGEMENT (STD)
KL5	ALTERNATIVE FUEL CONVERSIONS, CONVERSION-READY ENGINE -inc: internal modifications for operation w/natural or propane gas (N/A w/UY7 Trailer Wiring)
KL6	ALTERNATIVE FUEL CONVERSIONS, BI-FUEL COMPRESSED NATURAL GAS (CNG) SYSTEM -inc: (KL5) Alternative fuel conversions, conversion-ready engine, CNG tanks & fuel system (REQ: GT4 Axle) *complete vehicle & system ready* (N/A UY7 w/Trailer Wiring)

Color Selections

	Description	Code
Exterior#1	Light Pewter Metallic	11
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Light Pewter Metallic	11
Exterior#2		
Interior	Medium Pewter	93
	Description	Code
Exterior#1	Indigo Blue Metallic	39
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Indigo Blue Metallic	39
Exterior#2		
Interior	Medium Pewter	93
	Description	Code
Exterior#1	Black	41
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Black	41
Exterior#2		
Interior	Medium Pewter	93
	Description	Code
Exterior#1	Dark Green Metallic	47
Exterior#2		
Interior	Neutral	52

CODE DESCRIPTION

	Description	Code
Exterior#1	Dark Green Metallic	47
Exterior#2		
Interior	Medium Pewter	93
	Description	Code
Exterior#1	Summit White	50
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Summit White	50
Exterior#2		
Interior	Medium Pewter	93
	Description	Code
Exterior#1	Sandalwood Metallic	58
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Dark Gray Metallic	62
Exterior#2		
Interior	Medium Pewter	93
	Description	Code
Exterior#1	Victory Red	74
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Victory Red	74
Exterior#2		
Interior	Medium Pewter	93
	Description	Code
Exterior#1	Berry Red Metallic	87
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Berry Red Metallic	87

CODE DESCRIPTION

Exterior#2		
Interior	Medium Pewter	93

STANDARD EQUIPMENT

MECHANICAL

Engine, Vortec 6000 V8 SFI (300 HP [223.8 kW] @ 4400 rpm, 360 lb.-ft. [486.6 N-m] @ 4000 rpm)
Transmission, 4-speed automatic, heavy-duty, electronically controlled w/ overdrive, tow/haul mode
Brake/transmission shift interlock, automatic transmission
Rear wheel drive
Battery, 600 cold-cranking amps-inc: rundown protection & retained accessory power
Alternator, 105 amps
GVWR, 9600 lbs. (4354 kg)
Suspension, front, independent coil springs & stabilizer bar
Suspension, rear, hypoid drive axle w/multi-leaf springs
Tires, front LT245/75R16E, all-season, blackwall
Wheels, Gray painted-inc: Gray center caps & steel spare
Steering, power
Brakes, 4-wheel antilock, 4-wheel disc
Fuel tank, 31 gallon
Exhaust, aluminized stainless-steel muffler & tailpipe

EXTERIOR

Body, Standard
Bumper, front, painted Black
Bumper, rear, painted Black step-inc: pad
Grille, Black composite
Headlamps, single rectangular halogen
Daytime running lamps
Mirrors, outside rearview, foldaway, manual, Black, adjustable heads
Glass, Solar-Ray light tinted, all windows
License plate bracket, front
Wipers, intermittent, front wet-arm w/pulse washers
Door, swing-out passenger side, 60/40 split

INTERIOR

Seats, front vinyl reclining buckets-inc: head restraints
Floor covering, embossed Black rubberized vinyl full width floormat over floor area & front wheelhousing
Instrumentation, analog-inc: speedometer, odometer w/trip odometer, fuel level, voltmeter, engine temperature & oil pressure

INTERIOR

Theft-deterrent system, PASSLock

Air conditioning, front manual

Sound system, ETR AM/FM stereo-inc: seek-and-scan & digital clock

Cupholders, 3, on engine console cover

Power outlet, auxiliary, 2 covered, on engine console cover, 12-volt

Mirror, inside rearview, manual day/night

Headliner, cloth, over driver & passenger w/matching retainer moldings

Visors, padded, driver and passenger side with vinyl trim

Lighting, 3 dome lamps-inc: defeat switch & door handle-activated switches

SAFETY

Brakes, 4-wheel antilock, 4-wheel disc

Air bags, frontal, driver & right front passenger-inc: passenger side air bag deactivation switch on models w/GVWR, 8600 lbs. (3901 kg) & above.

Brake/transmission shift interlock, automatic transmission

Door beams, steel-side

Daytime running lamps

COLOR CHART

	Interior Colors	
	Neutral	Medium Pewter
Exterior Colors		
Light Pewter Metallic	X	X
Indigo Blue Metallic	X	X
Black	X	X
Dark Green Metallic	X	X
Summit White	X	X
Sandalwood Metallic	X	
Dark Gray Metallic		X
Victory Red	X	X
Berry Red Metallic	X	X

WARRANTY

<<< PRELIMINARY 2003 WARRANTY >>>

Basic: 3 Years/36,000 Miles

Drivetrain: 3 Years/36,000 Miles

Corrosion: 6 Years/100,000 Miles

Roadside Assistance: 3 Years/36,000 Miles

POWERTRAIN - BASIC SPECIFICATIONS**ENGINE**

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096
 SECTION 6 (PRICE LINE 6) CONTRACT PRICE: \$23,399.00
 CONTRACT: A53313 CONTRACTOR: SANSONE CHEVROLET MOTORS

ENGINE

Engine Order Code	(LQ4)
Engine Type	Gas V8
Displacement	6.0L/364 CID
Fuel System	(MFI)
SAE Net Horsepower @ RPM	300 @ 4400
SAE Net Torque @ RPM	360 @ 4000

TRANSMISSION

Trans Order Code	(MT1)
Trans Type	4-Speed HD Automatic w/OD
Drivetrain	Rear Wheel Drive

MILEAGE

	City	Hwy
EPA Fuel Economy Est (MPG)	- TBD -	- TBD -
Cruising Range (mi)	- TBD -	- TBD -

POWERTRAIN - ADVANCED SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	2.48
Second Gear Ratio (:1)	1.48
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.75
Reverse Ratio (:1)	2.08

Clutch Size (in)

Trans Power Take Off

TRANSFER CASE

Transfer Case Model

Gear Ratio (:1)

Transfer Case Gear Ratio (:1),
High

Transfer Case Gear Ratio (:1), Low

Transfer Case Power Take Off

DIFFERENTIAL

Final Drive Axle Ratio (:1)

Front**Rear**

* 3.73

ELECTRICAL

Battery

1

2

Maximum Capacity @ 0° F

600.00

N/A

Alternator

Maximum Alternator Capacity

105.00

(amps)

COOLING SYSTEM

COOLING SYSTEM

Total Cooling System Capacity (qts) - TBD -
 Engine Oil Cooler

PAYLOAD/TRAILERING SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

WEIGHT INFORMATION

	Front	Rear
Gross Axle Weight Rating (lbs)	4,300.00	6,084.00
Curb Weight (lbs)	- TBD -	- TBD -
Total Option Weight (lbs)	0.00	0.00
Reserve Axle Capacity (lbs)		
Gross Vehicle Weight Rating (lbs)		
As Spec'd Curb Weight (lbs)		
As Spec'd Payload (lbs)		
Gross Combined Wt Rating (lbs)		

TRAILERING

	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00
Weight Distributing Hitch (lbs)	* 6,900.00	- TBD -
Fifth Wheel Hitch (lbs)	N/A	N/A

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	135.00
Width, Max w/o mirrors (in)	79.40
Height, Overall (in)	79.40
Overhang	
Overhang, Front (in)	- TBD -
Overhang, Rear w/o bumper (in)	
Ground to Top of Load Floor (in)	22.80
Ground Clearance	
Ground Clearance, Front (in)	8.70
Ground Clearance, Rear (in)	8.50
Rear Door	
Side Door	

CARGO AREA DIMENSIONS

Length @ Floor
 Width

CARGO AREA DIMENSIONS

Cargo Box Width @ Wheelhousings (in)	- TBD -
Cargo Box (Area) Height (in)	51.90
Cargo Volume (ft³)	267.30

INTERIOR DIMENSIONS

Passenger Capacity	2.00
Seating Position	Front
Head Room (in)	40.20
Leg Room (in)	41.20
Shoulder Room (in)	68.80
Hip Room (in)	65.50

CHASSIS SPECIFICATIONS**SUSPENSION**

	Front	Rear
Spring		
Spring Type	Independent Coil	Hypoid Multi-Leaf
Spring Capacity (lbs)	4,300.00	6,084.00
Axle		
Axle Type	Independent	Full-Floating
Axle Capacity (lbs)	- TBD	- TBD -
Shock Absorber Diameter (mm)	- TBD -	- TBD -
Stabilizer Bar Diameter (in)	1.30	

BRAKES

Brake Type	Pwr	
Brake ABS System	4-Wheel	
	Front	Rear
Disc	Yes	Yes
Rotor Diam x Thickness (in)	12.8 x 1.50	13.0 x 1.14

TIRES

	Front	Rear	Spare
Tire Order Code	XHH	XHH	ZHH
Tire Size	LT245/75R16E	LT245/75R16E	LT245/75R16E
Capacity (lbs)	2,205.00	3,042.00	1,903.00
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -

WHEELS

	Front	Rear	Spare
Wheel Size (in)	- TBD -	- TBD -	- TBD -
Wheel Type	Steel	Steel	Steel

STEERING

Steering Type	Pwr-Assisted
Ratio (:1)	

STEERING

Steering Ratio (:1), On Center 17.20

Steering Ratio (:1), At Lock 17.20

Turning Diameter (ft)

Turning Diameter - Curb to Curb (ft) - TBD -

Turning Diameter - Wall to Wall (ft) - TBD -

FUEL TANK

Main

Auxiliary

Fuel Tank Capacity, Approx (gal) 31.00

- TBD -

Fuel Tank Location LH Midship Inboard

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096
SECTION 6 (PRICE LINE 6) CONTRACT PRICE: \$23,399.00
CONTRACT: A53313 CONTRACTOR: SANSONE CHEVROLET MOTORS